

ACCEL GOLD KOTE- bronopol liquid

Accelerated Genetics

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Accel Gold Kote

Accel Gold Kote

AN EXCELLENT AID FOR CONTROLLING MASTITIS

DIRECTIONS: Immediately after milking and before the cow is released, dip each teat in undiluted **ACCEL GOLD-KOTE** barrier teat dip. Teats should be dipped or sprayed to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teats should be dipped or sprayed with **ACCEL GOLD-KOTE** for four days after the last milking. Teats should be thoroughly washed and dried before milking. Use potable water, a suitable cleanser and individual paper towels to remove the barrier and to prevent contamination of the milk. Do not use for cleaning or sanitizing milk equipment.

WARNING: Can cause eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contamination of food.

FIRST AID: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

INTERNAL: If swallowed, induce vomiting and call a physician immediately.

CAUTION: Avoid freezing. If frozen, let thaw and shake thoroughly before using.

Accel Gold Kote

AN EXCELLENT AID FOR CONTROLLING MASTITIS

DIRECTIONS: Immediately after milking and before the cow is released, dip each teat in undiluted **ACCEL GOLD-KOTE** barrier teat dip. Teats should be dipped or sprayed to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teats should be dipped or sprayed with **ACCEL GOLD-KOTE** for four days after the last milking. Teats should be thoroughly washed and dried before milking. Use potable water, a suitable cleanser and individual paper towels to remove the barrier and to prevent contamination of the milk. Do not use for cleaning or sanitizing milk equipment.



WARNING: Can cause eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contamination of food.

FIRST AID: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

INTERNAL: If swallowed, induce vomiting and call a physician immediately.

CAUTION: Avoid freezing. If frozen, let thaw and shake thoroughly before using.

Accel Gold-Kote
SANITIZING BARRIER TEAT DIP

Net Contents:

NDC CODE: 62717-922

ACCEL GOLD KOTE

bronopol liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:62717-4170
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BRONOPOL (UNII: 6PU1E16C9W) (BRONOPOL - UNII:6PU1E16C9W)	BRONOPOL	0.2 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62717-4170-2	20.71 kg in 1 DRUM		
2	NDC:62717-4170-3	62.14 kg in 1 DRUM		
3	NDC:62717-4170-4	227.83 kg in 1 DRUM		
4	NDC:62717-4170-1	1139.14 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/27/2005	

Labeler - Accelerated Genetics (023608185)

Registrant - ProActive Solution USA, LLC (089577290)

Establishment			
Name	Address	ID/FEI	Business Operations
Pro Active Solution USA, LLC		089577290	api manufacture, manufacture, pack, repack

Revised: 12/2013

Accelerated Genetics